CROPFUSE[™]**COC**

Crop Oil Concentrate

PRINCIPAL FUNCTIONING AGENTS 83% Mineral Oil 83% Secondary Alcohol Ethoxylate 17% TOTAL 100% All ingredients are approved for use under 40 CFR 180 CA Reg. No. 9349-50018-AA WA Reg. No. 9349-16009



KEEP OUT OF REACH OF CHILDREN WARNING



PRECAUTIONARY STATEMENTS

Harmful if swallowed. Causes skin irritation and serious eye irritation. Toxic to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS. Dispose of contents/container to disposal plant in accordance with federal, state and local regulations.

PERSONAL PROTECTIVE EQUIPMENT (PPE)











Applicators or other handlers of this product should wear: protective eyewear, chemical resistant gloves, long-sleeved shirt, long pants, shoes and socks. Consult the SDS for further information.

FIRST AID

If Swallowed:

Call a poison control center or doctor if person feels unwell. Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any fluids to an unconscious person.

If In Eyes:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention or advice.

If On Skin:

Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and wash it before reuse.

If Inhaled:

Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.

GENERAL INFORMATION

CropFuse COC is for use with any number of pesticides that call for the use of a crop oil concentrate on the product label. .

DIRECTIONS FOR USE

The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. The applicator or crops advisor must have experience with the pesticide combination, including **CropFuse COC**, or must have conducted a phytotoxicity test prior to use.

SHAKE WELL BEFORE USING.

FOR USE WITH HERBICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, RIGHTS-OF-WAY. NOT FOR AQUATIC USE.

USE RATES

Use 1-2 pints per acre for ground applications¹ and 1-2% v/v in 1-5 gallons of water per acre for aerial applications².

¹Use the higher rate when weeds are under environmental stress, at the maximum labeled size for control or apply 1.0% v/v (1 gallon of VIGOR per 100 gallons of spray solution) per pesticide label recommendations.

²Use higher concentrations for lower water volumes

MIXING

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

- a. Compatibility agent and/or antifoam, if needed
- b. AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants
- c. Dry soluble and suspension fertilizers / micronutrients
- d. Liquid drift retardants and flowable formulations (F & FL)
- e. Liquid concentrates, suspension concentrates, microencapsulated and capsule suspension (LC, SC, ME, CS)
- f. Emulsifiable concentrates (E, EL or EC)
- g. Solutions and soluble liquids (S or SL)
- h. Liquid micronutrients and fertilizers
- i. Water conditioners and other adjuvants (COC, HSOC, MSO, NIS)
- j. Finish filling to desired spray volume level and continue agitation

STORAGE AND DISPOSAL

Protect product from freezing. If product freezes, warm to room temperature and agitate before use. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

CONDITIONS OF SALE

LIMITED WARRANTY: Meristem Crop Performance ("MCP") warrants that the Product conforms to the chemical description given on this label and is reasonably fit for the purpose stated when used in accordance with label directions under normal conditions of use. MCP and Seller make no other warranties, express or implied, including warranty of merchantability or fitness for a particular purpose. Buyer and User accept all risks arising from any use of this Product. To the extent allowed by law, MCP and the Seller shall not be liable to the Buyer or User of this Product for any consequential, special, incidental or indirect damages.

